

AWM Modular Components

Index


Standard Product System Diagram		Page 2
Heavy-Duty Product System Diagram		Page 3
Heads		
AWM-HV	VESA Head	Dimensions Page 4
AWM-HS	AWM Slider	Dimensions
AWM-HN	Notebook Tray	Page 5
AWM-LTH	HD Tilt Head	Dimensions
AWM-BT	Tilt Bracket	
AWM-LR	Dual Crossbar	
Arms		
AWM-A13	Overview	Page 6
AWM-A46	Dimensions	Page 7
AWM-A71	Height Adjustment on Posts	Page 8
	Height Adjustment on Wall Channels	Page 9
Dynamic Arms		
AWM-ADC	Overview	Page 10
AWM-AD	Dimensions	Page 11
AWM-AHX	Dimensions on Post	Page 13
	Height Adjustment on Posts & Wall Channels	Page 15
Posts		
AWM-P13	Dimensions	Page 17
AWM-P40		
AWM-P75		
AWM-P40X		
Wall Fixings		
AWM-W6	Dimensions	Page 18
AWM-W35		
Arm Fixings	Dimensions	
AWM-LB		
AWM-LC		
Fixings		
AWM-FB	Bolt Through Kit	Dimensions Page 19
AWM-FC	C Clamp	Dimensions
AWM-FF	F Clamp	Dimensions Page 20
AWM-FH	Heavy Duty F Clamp	Dimensions
AC-GC	Grommet Clamp	Dimensions
AWM-WS	Slat Wall Adaptor	Dimensions Page 21
AWM-W	Single Wall Bracket	
Accessories		
AC-MP	Mini PC Mount Plate	Page 21

STANDARD PRODUCT SYSTEM DIAGRAM


IMPORTANT

- Any mounting surface must be capable of supporting the combined weight of all products, including attached displays and devices.
- Monitor weight should be within the weight range of all modular elements that make up the complete mounting solution.
- All fixings are sold separately.

HEADS (OPTIONAL)




Notebook Tray
AWM-HN




Slider
AWM-HS

DYNAMIC ARMS



**Dynamic Arm
with Arm Base**
AWM-AD + AWM-LB
Products sold separately




**Dynamic Arm
with Channel Clamp**
AWM-ADC


SWING ARMS



130 Arm
AWM-A13




460 Arm
AWM-A46




710 Arm
AWM-A71


POSTS



**Single Wall
Bracket**
AWM-W
AWM-LC not
required for
mounting




135 Post
AWM-P13
400 Post
AWM-P40G



750 Post
AWM-P75G
P40X Posts
AWM-P40X OR
(2x) AWM-P40X
+ AWM-X40
Products
sold separately

WALL CHANNELS




**60 Wall
Channel**
AWM-W6
**350 Wall
Channel**
AWM-W35


FIXINGS




**Bolt Through
Kit**
AWM-FB




C Clamp
AWM-FC




F Clamp
AWM-FF



**Heavy Duty
F Clamp**
AWM-FH



**Grommet
Clamp**
AC-GC



**Slat Wall
Adaptor**
AWM-WS

ACCESSORIES




Mini PC Mount Plate
AC-MP

HEAVY-DUTY PRODUCT SYSTEM DIAGRAM

IMPORTANT

- Any mounting surface must be capable of supporting the combined weight of all products, including attached displays and devices.
- Monitor weight should be within the weight range of all modular elements that make up the complete mounting solution.
- All fixings are sold separately.


HEADS



Dual Crossbar
AWM-LR




HD Tilt Head
AWM-LTH




Tilt Bracket
AWM-BT

DYNAMIC ARMS




**HD Dynamic Arm
with Arm Base**
AWM-AHX + AWM-LB
Products sold separately




**HD Dynamic Arm
with Channel Clamp**
AWM-AHX + AWM-LC
Products sold separately

SWING ARMS



710 Arm
AWM-A71




460 Arm
AWM-A46



Channel Clamp
AWM-LC

POSTS




**Single Wall
Bracket**
AWM-W


AWM-LC not
required for
mounting



135 Post
AWM-P13
Single row
of
monitors
only



400 Post
AWM-P40G
Single row
of
monitors
only




750 Post
AWM-P75G


P40X Posts
AWM-P40X OR
(2x) AWM-P40X
+ AWM-X40

Products
sold separately


FIXINGS



C Clamp
AWM-FC



**Heavy Duty
F Clamp**
AWM-FH



**Grommet
Clamp**
AC-GC


HEADS

VESA Head AWM-HV

Dimensions

Note: VESA Head supplied with the following arms:


- AWM-A13
- AWM-A46
- AWM-A71
- AWM-AD
- AWM-ADC




Slider AWM-HS

Dimensions


Note: Slider adds 16mm (0.63") to max arm reach.



Horizontal Adjustment



Levelling Adjustment



Weight Range

Flat Monitors

0-7kg (0-15lb)

Curved Monitors

0-5kg (0-11lb)

Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution.

Warranty


10 years limited

HEADS

Notebook Tray AWM-HN



IMPORTANT

- Maximum weight load 8kg (17.5 lbs).
- Device weight should be within the weight range of all modular elements that make up the complete monitor mounting solution.
- 10 years limited warranty.
- For further details refer to the Notebook Tray AWM-HN Technical Specifications document.




Heavy Duty VESA Tilt Head AWM-LTH

Dimensions



Tilt Angle



Weight Range

Flat Monitors

0-18kg (0-40lb)

Curved Monitors

0-12kg (0-26.5lb)

Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution.


Warranty

10 years limited

Dual Crossbar AWM-LR

IMPORTANT


- Maximum weight range 2-7kg (4.5-15 lbs).
- Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution.
- 10 years limited warranty.
- For further details refer to the Dual Crossbar AWM-LR Technical Specifications document.



AWM Tilt Bracket AWM-BT

IMPORTANT

- Maximum flat display weight load 25kg (55 lbs).
- Maximum curved display weight load 18kg (40 lbs).
- Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution.
- 10 years limited warranty.
- For further details refer to the Tilt Bracket AWM-BT Technical Specifications document.




ARMS OVERVIEW


IMPORTANT

- Each arm's channel clamp includes a 180° rotation stop feature, to prevent interference with walls and workstation dividers. This feature can be activated or removed. See arm installation instructions for more details.
- Monitor weight should be within the weight range of all modular elements that make up the complete mounting solution.
- Contact Atdec for advice if you have a display/device that exceeds 100mm in overall depth.


130 Arm AWM-A13

	Weight Range Flat Monitors 0-12kg (0-26.5lb) Curved Monitors 0-8kg (0-17.5lb) Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution. Warranty 10 years limited
--	--

460 Arm AWM-A46




	Weight Range Flat Monitors 0-12kg (0-26.5lb) Curved Monitors 0-8kg (0-17.5lb) Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution. Warranty 10 years limited
--	--

710 Arm AWM-A71




	Weight Range Flat Monitors 0-9kg (0-20lb) Curved Monitors 0-8kg (0-17.5lb) Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution. Warranty 10 years limited
--	---

ARMS DIMENSIONS




130 Arm AWM-A13

Post Side Attachment 	Post Front Attachment 	Wall Channel 
---	--	---

460 Arm AWM-A46

Post Side Attachment  NOTE: Shown at minimum extension	Post Front Attachment 	Wall Channel 
---	---	---

710 Arm AWM-A71

Post Side Attachment  NOTE: Shown at minimum extension	Post Front Attachment 	Wall Channel 
--	--	---


ARMS HEIGHT ADJUSTMENT ON POSTS

IMPORTANT

- Measurements taken from centre of VESA mount.
- The C Clamp (AWM-FC) increases the minimum height by 26mm (1.02").


130 Arm AWM-A13 on Post

135 Post AWM-P13




MIN HEIGHT 110mm (4.33")
MAX HEIGHT 163mm (6.42")
RANGE (R) 53mm (2.09")

400 Post AWM-P40



MIN HEIGHT 110mm (4.33")
MAX HEIGHT 428mm (16.85")
RANGE (R) 318mm (12.52")


750 Post AWM-P75



MIN HEIGHT 110mm (4.33")
MAX HEIGHT 778mm (30.63")
RANGE (R) 668mm (26.3")


460 Arm AWM-A46 on Post

135 Post AWM-P13




MIN HEIGHT 233mm (9.17")
MAX HEIGHT 286mm (11.26")
RANGE (R) 53mm (2.09")

400 Post AWM-P40



MIN HEIGHT 233mm (9.17")
MAX HEIGHT 551mm (21.69")
RANGE (R) 318mm (12.52")


750 Post AWM-P75



MIN HEIGHT 233mm (9.17")
MAX HEIGHT 901mm (35.47")
RANGE (R) 668mm (26.3")


710 Arm AWM-A71 on Post

135 Post AWM-P13




MIN HEIGHT 230mm (9.06")
MAX HEIGHT 283mm (11.14")
RANGE (R) 53mm (2.09")

400 Post AWM-P40



MIN HEIGHT 230mm (9.06")
MAX HEIGHT 548mm (21.57")
RANGE (R) 318mm (12.52")

750 Post AWM-P75



MIN HEIGHT 230mm (9.06")
MAX HEIGHT 898mm (35.35")
RANGE (R) 668mm (26.3")


ARMS HEIGHT ADJUSTMENT ON WALL CHANNELS

IMPORTANT

- Measurements taken from bottom of wall channel to centre of VESA mount.

130 Arm AWM-A13 on Wall Channel


60 Wall Channel AWM-W6



FIXED HEIGHT

92mm (3.62")

350 Wall Channel AWM-W35



MIN HEIGHT

92mm (3.62")

MAX HEIGHT


382mm (15.04")

RANGE (R)

290mm (11.42")

460 Arm AWM-A46 on Wall Channel


60 Wall Channel AWM-W6



FIXED HEIGHT

224mm (8.82")

350 Wall Channel AWM-W35



MIN HEIGHT

224mm (8.82")

MAX HEIGHT


514mm (20.24")

RANGE (R)

290mm (11.42")

710 Arm AWM-A71 on Wall Channel


60 Wall Channel AWM-W6



FIXED HEIGHT

221mm (8.7")

350 Wall Channel AWM-W35



MIN HEIGHT

221mm (8.7")

MAX HEIGHT

511mm (20.12")


RANGE (R)

290mm (11.42")


Atdec AWM Series Page 9 of 21

DYNAMIC ARMS OVERVIEW

Dynamic Arm AWM-AD and Dynamic Arm with Channel Clamp AWM-ADC - Movement


	Weight Range Flat Monitors 0-9kg (0-20lb) Curved Monitors 0-6kg (0-13.5lb) Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution. NOTE • Desk fixing sold separately Warranty 10 years limited
---	---

Heavy Duty Dynamic Arm AWM-AHX - Movement


	Weight Range Desk Base Mount Flat Monitors 6-16kg (13.5-35lb) Curved Monitors 6-12kg (13.5-26.5lb) Post Mount Flat Monitors 6-14kg (13.5-31lb) Curved Monitors 6-12kg (13.5-26.5lb) Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution. NOTE • AHX is not compatible with AWM Wall Channels and posts taller than 510mm (20") • Desk fixing sold separately • Head sold separately Warranty 10 years limited
--	--

DYNAMIC ARMS DIMENSIONS


Dynamic Arm with Channel Clamp AWM-ADC




Dynamic Arm AWM-AD with Arm Base AWM-LB (sold separately)



Heavy Duty Dynamic Arm AWM-AHX
with **Channel Clamp AWM-LC** and **Heavy Duty VESA Tilt Head AWM-LTH**




Heavy Duty Dynamic Arm AWM-AHX
with **Arm Base AWM-LB** and **Heavy Duty VESA Tilt Head AWM-LTH**




DYNAMIC ARMS DIMENSIONS ON POSTS, ARM BASE & WALL CHANNELS

Dynamic Arm AWM-AD on Post


Post - Side Channel




Post - Front Channel



Dynamic Arm AWM-AD on Wall Channel




Dynamic Arm AWM-AD with Arm Base AWM-LB




HEAVY DUTY DYNAMIC ARMS DIMENSIONS ON POSTS & ARM BASE

Heavy Duty Dynamic Arm AWM-AHX on **Posts** with **Heavy Duty Tilt Head** AWM-LTH



Heavy Duty Dynamic Arm AWM-AHX on **Arm Base** AWM-LB with **Heavy Duty Tilt Head** AWM-LTH






DYNAMIC ARMS HEIGHT ADJUSTMENT ON POSTS & WALL CHANNELS



IMPORTANT

- Arm measurements taken from centre of VESA mount.
- Post measurements taken from the bottom of the post. Add thickness of the fixing (see fixings section) to minimum and maximum dimensions.
- Wall Channel measurements taken from bottom of wall channel.
- On posts mounted with the C Clamp (AWM-FC) add 26mm (1.02") to the minimum height.

Dynamic Arm AWM-AD on Posts

135 Post AWM-P13	400 Post AWM-P40	750 Post AWM-P75
 MIN HEIGHT 132mm (5.2") MAX HEIGHT 500mm (19.69") RANGE (R) 368mm (14.49")	 MIN HEIGHT 132mm (5.2") MAX HEIGHT 765mm (30.12") RANGE (R) 633mm (24.92")	 MIN HEIGHT 132mm (5.2") MAX HEIGHT 1115mm (43.9") RANGE (R) 983mm (38.7")

Dynamic Arm AWM-AD on Wall Channels



60 Wall Channel AWM-W6	350 Wall Channel AWM-W35
 MIN HEIGHT 115mm (4.53") MAX HEIGHT 430mm (16.93") RANGE (R) 315mm (12.4")	 MIN HEIGHT 115mm (4.53") MAX HEIGHT 728mm (28.66") RANGE (R) 613mm (24.13")

HEAVY DUTY DYNAMIC ARMS HEIGHT ADJUSTMENT ON POSTS

IMPORTANT


- Arm measurements taken from centre of VESA mount.
- Post measurements taken from the bottom of the post. Add thickness of the fixing (see fixings section) to min and max dimensions.
- On posts mounted with the C Clamp (AWM-FC) add 26mm (1.02") to the minimum height.

Heavy Duty Dynamic Arm AWM-AHX on Posts


135 Post AWM-P13  <table><tr><td>MIN HEIGHT</td><td>230mm (9.06")</td></tr><tr><td>MAX HEIGHT</td><td>617mm (24.29")</td></tr><tr><td>RANGE (R)</td><td>342mm (13.46")</td></tr></table>	MIN HEIGHT	230mm (9.06")	MAX HEIGHT	617mm (24.29")	RANGE (R)	342mm (13.46")	400 Post AWM-P40  <table><tr><td>MIN HEIGHT</td><td>230mm (9.06")</td></tr><tr><td>MAX HEIGHT</td><td>887mm (34.92")</td></tr><tr><td>RANGE (R)</td><td>657mm (25.87")</td></tr></table>	MIN HEIGHT	230mm (9.06")	MAX HEIGHT	887mm (34.92")	RANGE (R)	657mm (25.87")
MIN HEIGHT	230mm (9.06")												
MAX HEIGHT	617mm (24.29")												
RANGE (R)	342mm (13.46")												
MIN HEIGHT	230mm (9.06")												
MAX HEIGHT	887mm (34.92")												
RANGE (R)	657mm (25.87")												

POST DIMENSIONS

Top View




TOP VIEW




CABLE CLIP - TOP VIEW

NOTE Fits approximately six 7mm ($\frac{17}{64}$ ") cables




CABLE COVER - TOP VIEW

NOTE Fits approximately ten 7mm ($\frac{17}{64}$ ") cables




135 Post AWM-P13



Compatible Fixings:

- **Bolt Through Kit** AWM-FB
- **C Clamp** AWM-FC
- **F Clamp** AWM-FF
- **HD F Clamp** AWM-FH
- **Grommet Clamp** AC-GC


400 Post AWM-P40G



Compatible Fixings:

- **Bolt Through Kit** AWM-FB
- **C Clamp** AWM-FC
- **F Clamp** AWM-FF
- **HD F Clamp** AWM-FH
- **Grommet Clamp** AC-GC

750 Post AWM-P75G




Compatible Fixings:

- **HD F Clamp** AWM-FH
- **Grommet Clamp** AC-GC

AWM Post 40 Stackable AWM-P40X with AWM Stack Kit 40 AWM-X40



IMPORTANT

- Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution.
- 10 years limited warranty.
- For further details refer to the AWM Post 40 Stackable AWM-P40X and AWM Stack Kit 40 AWM-X40 Technical Specification document.




WALL FIXINGS DIMENSIONS


Top View



60 Wall Channel AWM-W6




350 Wall Channel AWM-W35




ARM FIXINGS DIMENSIONS

Arm Base AWM-LB



Channel Clamp AWM-LC













FIXINGS










IMPORTANT

- Any mounting surface must be capable of supporting the combined weight of all products and attached displays/devices.
- Monitor weight should be within the weight range of all modular elements that make up the complete mounting solution.
- All fixings are sold separately.

Bolt Through Kit AWM-FB



Top View  NOTE: This desk fixing is not compatible with AWM-P75G, the Stacked P40X Posts (x2 AWM-P40X + AWM-X40) or the heavy duty range. Please use the AC-GC Grommet Clamp as a bolt-through kit for AWM-P75G and the Stacked P40X Posts (x2 AWM-P40X + AWM-X40) and the heavy duty range.	Arm Base (3 washer) Installation 					
	Post Installation 	Worksurface Thickness <table><tr><th>POST</th><th>ARM BASE</th></tr><tr><td> 0 - 33mm (0 - 1.3") </td><td> 15 - 33mm (0.59 - 1.3") </td></tr></table>	POST	ARM BASE	 0 - 33mm (0 - 1.3")	 15 - 33mm (0.59 - 1.3")
POST	ARM BASE					
 0 - 33mm (0 - 1.3")	 15 - 33mm (0.59 - 1.3")					

C Clamp AWM-FC

Dimensions  	 Worksurface Thickness <table border="1"> <thead> <tr> <th>DEFAULT</th> <th>INVERTED</th> </tr> </thead> <tbody> <tr> <td>  25 - 33mm (0.98 - 1.3") </td> <td>  18 - 25.8mm (0.71"-1.02") </td> </tr> </tbody> </table> TOTAL RANGE 18-33mm (0.71-1.3")	DEFAULT	INVERTED	 25 - 33mm (0.98 - 1.3")	 18 - 25.8mm (0.71"-1.02")
DEFAULT	INVERTED				
 25 - 33mm (0.98 - 1.3")	 18 - 25.8mm (0.71"-1.02")				


F Clamp AWM-FF

Dimensions




Worksurface Thickness

DEFAULT



0 - 36mm
(0 - 1.42")

INVERTED





36 - 79mm
(1.42 - 3.11")

TOTAL RANGE 0-79mm (0-3.11")


Heavy Duty F Clamp AWM-FH

Dimensions




Worksurface Thickness

TOP




0-38mm
(0-1.5")

MIDDLE



11-53mm
(0.43-2.09")

BOTTOM




25-68mm
(0.98-2.68")

TOTAL RANGE 0-68mm (0-2.68")




Grommet Clamp AC-GC

IMPORTANT


- The Grommet Clamp fixing is compatible with AWM Series Post and Arm Base products.
- Ensure the overall solution is rated to support the combined weight of all products and attached displays/devices.
- For further details refer to the Grommet Clamp Technical Specifications document.



Slat Wall Adaptor AWM-WS


Dimensions  IMPORTANT Must be used with AWM 60 Wall Channel AWM-W6 (sold separately)	 Weight Range 0-7kg (0-15lb) Monitor weight should be within the weight range of all modular elements that make up the complete monitor mounting solution.
Slat Wall Groove Pitch  MIN PITCH 36mm (1.42") MAX PITCH 78mm (3.07")	NOTE Designed for use with desking slat walls and tool rails. Also suits Atdec ADB Rails - ADB-R48 - ADB-R68 - ADB-R125 - ADB-R175 Warranty 10 years limited

Single Wall Bracket AWM-W

IMPORTANT - Maximum display weight load 18kg (40 lbs). - Monitor weight should be within the weight range of all modular elements that make up the complete mounting solution. 10 years limited warranty. - For further details refer to the Single Wall Bracket AWM-W Technical Specifications document.	
---	--

ACCESSORIES

Mini PC Mount Plate AC-MP

IMPORTANT - Maximum weight load 5kg (11 lbs). - The Mini PC Mount Plate is compatible with all AWM Post and Wall Channel products. - The Mounting Plate can be placed at any height on the Post or Wall Channel as desired. - Compatible with Intel NUC® devices and VESA 75x75mm and 100x100mm hole pattern compliant devices. - Slots allow mounting of NUCs with both 84 and 95mm mounting hole spacings. - Ensure solution is rated to support combined weight of all products and attached displays/devices. 10 years limited warranty (parts and workmanship). - For further details refer to the Mini PC Mount Plate - AC-MP Technical Specifications document.	
--	--